

INDEX MAPS.

T. 4N, R. 5E. 2nd Mer.

	320		320		319-320		319-321		319-321		319-321	
328	6	347	5	340	4	386	3	332	2	327	1	319
	346		346		340		335		331		327	
328	7	345	8	340	9	335	10	331	11	326	12	318
	345		345		339		335		330		326	
322	18	344	17	339	16	334	15	330	14	326	13	318
	344		343		338		334		330		325	
322	19	343	20	338	21	334	22	329	23	326	24	318
	343		342		338		333		329		325	
322	30	342	29	337	28	333	27	329	26	324	25	317
	342		341		337		333		328		324	
321	31	341	32	336	33	332	34	328	35	323	36	317
	315		315-316		315-316		315-316		315-316		315-317	

T. 5N, R. 5E. 2nd Mer.

	355		354		354		354		353		353	
357	6	379	5	373	4	369	3	365	2	361	1	353
	378		378		372		368		364		361	
356	7	378	8	372	9	368	10	364	11	360	12	352
	377		377		371		367		364		360	
356	18	379	17	371	16	367	15	363	14	359	13	352
	376		376		371		367		363		359	
356	19	376	20	370	21	366	22	363	23	359	24	352
	375		374		370		366		362		358	
355	30	374	29	370	28	366	27	362	26	358	25	351
	373		374		369		365		362		358	
355	31	373	32	369	33	365	34	361	35	357	36	351
	349-350		349-350		349-350		349-350		349-350		349-351	

The figures on the lines refer to the page.

Township N. 4 North, Range N. 5 East 3rd Mer. Indiana

South Boundary

West On Rand^m S. boundary Sec. 36, T4 N. R5 E.

40.00 Let temp^y. of Sec. post

80.00 Let temp^y. Sec. post. Over flat land

West On Rand^m S. boundary of Sec. 35, T4 N. R5 E.

40.00 Let temp^y. of Sec. post

80.00 Let temp^y. Sec. post. Land timber &c. same

West On Rand^m S. boundary of Sec. 34, T4 N. R5 E.

2.50 a Creek 100 lks. wide Course North

40.00 Let temp^y. of Sec. post

80.00 Let temp^y. Sec. post. Land, timber &c. same

West On Rand^m S. boundary of Sec. 33, T4 N. R5 E.

40.00 Let temp^y. of Sec. post

75.00 a Brook 10 lks. wide Course North

80.00 Let temp^y. Sec. post. Land &c. same flat

West On Rand^m S. boundary of Sec. 32, T4 N. R5 E.

14.00 a Brook 20 lks. wide Course North

40.00 Let temp^y. of Sec. post

73.00 a Brook 15 lks. wide Course North

78.50 same 15 " " " S 80 E.

80.00 Let temp^y Sec. post.

Good farming land, timber Beech, Oak & Hickory

West On true line S. boundary of Sec. 31, T4 N. R5 E.

40.00 Let temp^y. of Sec. post

76.37 intersected the N & S line 4.50 lks. South of the Town Corner

East On true line S. boundary of Sec. 31, T4 N. R5 E.

T4N R5E 2nd Mer. Indiana

- 36.37 Let the q. Sec. post on true line from which
a P. Oak 8 in. diam. bear N 89 W 13 lks. dist. of
a Do 12 " " " N 78 W 36 " "
- 76.37 Let a post Cor. to Sec. 31 & 32, from which
a Beech 10 in. diam. bear S 73 E 21 lks. dist. of
a Do 10 " " " N 62 W 9 " "

- East On true line S. boundary of Sec. 32, T4N R5E.
40.00 Let the q. Sec. post, on true line, from which
a P. Oak 12 in. diam. bear S 96 E 15 lks. dist. of
a Beech 5 " " " S 8 E 9 " "
- 80.00 Let a post Cor. to Sec. 32 & 33, from which
a W. Oak 20 in. diam. bear S 40 W 5 lks. dist. of
a Beech 10 " " " N 17 E 7 " "

- East On true line S. boundary of Sec. 33, T4N R5E.
40.00 Let the q. Sec. post on true line, from which
a Beech 10 in. diam. bear S 59 W 17 lks. dist. of
a Do 20 " " " N 39 E 22 " "
- 80.00 Let a post Cor. to Sec. 33 & 34, from which
a W. Oak 20 in. diam. bear N 60 E 11 lks. dist. of
a Beech 24 " " " S 87 W 33 " "

- East On true line S. boundary of Sec. 34, T4N R5E.
40.00 Let the q. Sec. post on true line, from which
a Maple 10 in. diam. bear S 82 E 4 lks. dist. of
a Hickory 20 " " " N 46 E 13 " "
- 80.00 Let a post Cor. to Sec. 34 & 35, from which
a Beech 10 in. diam. bear N 56 W 30 lks. dist. of
a Do 15 " " " S 78 W 27 " "

- East On true line S. boundary of Sec. 35, T4N R5E
40.00 Let the q. Sec. post on true line, from which

317

T4N R5E. 2nd Mer. Indiana

a Sweet Gum 20 in. diam. bears S56 E 19 lks. dist.
 a Beech 10 " " " S83 W 44 "
 80.00 Set a post Cor. to Sec. 35 & 36, from which
 a Beech 10 in. diam. bears N81 E 9 lks. dist. &
 a W. Oak 48 " " " S43 W 29 " "

East On true line S. boundary of Sec. 36, T4N. R5E.
 40.00 Set the q. Sec. post on true line, from which
 a Maple 10 in. diam. bears N10 E 12 lks. dist. &
 a Gum 15 " " " S25 E 13 " "
 80.00 to the Township Corner.

East Boundary

North On E. boundary of Sec. 36, T4N. R5E.
 21.20 a W. Oak 20 in. diam. in the line
 36.00 a pond Covered with brush
 40.00 Set the q. Sec. post, from which
 a Maple 10 in. diam. bears N89 W 22 lks. dist.
 no other near.
 75.00 to North side of the pond
 80.00 Set a post Cor. to Sec. 25 & 36, from which
 a Maple 10 in. diam. bears N47 W 22 lks. dist. &
 an Elm 8 " " " N32 E 25 " "
 (Description Omitted)

North On E. boundary of Sec. 25, T4N. R5E.
 16.50 a Creek 150 lks. wide Course West
 21.50 a Beech 24 in. diam. in the line
 40.00 Set the q. Sec. post, from which
 a Gum 15 in. diam. bears N15 W 17 lks. dist. &
 a Beech 20 " " " S83 E 6 " "
 54.00 a Creek 50 lks. wide Course S. W
 56.00 a Poplar 48 in. diam. in the line

T4N. R5E. T. Mer. Indiana

80.00 Let a post Cor. to Sec. 24 & 25, from which
 a W. Oak 40 in. dia. bear N58E 29 lks. dist. &
 a Do 48 " " " N78W 38 " "
 Good level Beech timbered land

North On E. boundary of Sec. 24, T4N. R5E.

40.00 Let the gr. Sec. post, from which
 a Sweet Gum 8 in. dia. bear S41E 34 lks. dist. &
 an Elm 20 " " " N81W 17 " "

66.00 an Elm 15 " "

80.00 Let a post Cor. to Sec. 13 & 24, from which
 an Elm 8 in. dia. bear S8E 8 lks. dist. &
 a Gum 4 " " " N45E 17 " "
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 13, T4N. R5E.

26.80 a Beech 20 in. dia.

40.00 Let the gr. Sec. post, from which
 a ——— 20 in. dia. bear S47E 6 lks. dist. &
 a Dogwood 6 " " " N60W 5 " "

70.50 a Brook 10 lks. wide Course E.

80.00 Let a post Cor. to Sec. 12 & 13, from which
 a Beech 30 in. dia. bear S33E 35 lks. dist. &
 a Do 20 " " " S68W 40 " "
 Sand this mile over level Beech, Oak and
 Hickory timbered land.

North On E. boundary of Sec. 12, T4N. R5E.

0.60 a ——— 20 in. dia.

16.70 a Poplar 40 in. dia.

40.00 Let the gr. Sec. post, from which
 a Beech 6 in. dia. bear S22W 5 lks. dist. &
 a Do 24 " " " N20E 20 " "

T4 N. R5 E. 2nd Mer. Indiana

80.00 Let a post Cor. to Sec. 1 of 12, T4 N. R5 E. from
which a Beech 6 in. dia. bear N38 E 4 lks. dist. of
a Do 20 " " " N19 E 20 " "
Land timber &c. Same as on the last mile

North On E. boundary of Sec. 1, T4 N. R5 E.

40.00 Let the gr. Sec. post, from which
a W. Ash 10 in. dia. bear N75 W 13 lks. dist. of
a Do 6 " " " N20 W 4 " "

80.00 Let a post Cor. to Township N^o 4 of 5 North
of Range N^o 5 of 6 East, from which
a Beech 20 in. dia. bear N36 W 6 lks. dist. of
a Do 20 " " " N36 E 16 " "
Land timber &c. Same as on the last mile

North Boundary

West On Rand^m. S. boundary of Sec. 36, T5 N. R5 E.

20.00 a Brook 20 lks. wide Course South

40.00 Let temp^y. gr. Sec. post

80.00 Let temp^y. Sec. post.

Good farming land, timber Oak, Hickory, Beech

West On Rand^m. S. boundary of Sec. 35, T5 N. R5 E.

40.00 Let temp^y. gr. Sec. post

80.00 Let temp^y. Sec. post. Land &c. Same as last mile

West On Rand^m. S. boundary of Sec. 34, T5 N. R5 E.

40.00 Let temp^y. gr. Sec. post

80.00 Let temp^y. Sec. post. Land &c. Same as last mile

West On Rand^m. S. boundary of Sec 33, T5 N. R5 E.

40.00 Let temp^y. gr. Sec. post

75.50 a Brook 20 lks. wide Course South

T4N R5E. 2^d. Mer. Indiana

80.00 Let temp^y. Sec. post. Land level timber
Beech, Oak and Hickory

West On Rand^m. S. boundary of Sec. 32, T5N. R5E.

40.00 Let temp^y. q^r. Sec. post

80.00 Let temp^y. Sec. post. Land & barns on one half mile

West On Rand^m. S. boundary of Sec. 31, T5N. R5E.

40.00 Let temp^y. q^r. Sec. post

84.50 Intersected the N & S. line 7.00 lks. S. of the
Township Corner. Land & barns as last mile

East On true line S. boundary of Sec. 31, T5N. R5E.

44.50 Let the q^r. Sec. post on true line from which
a Beech 20 in. diam. bran N52°W 3 lks. dist. of
a Do 8 " " " N19°W 25 " "

84.50 Let a post Cor. to Secs. 31 & 32, T5N. R5E from which
a Beech 10 in. diam. bran N60°E 4 lks. dist. of
a Do 20 " " " East 16 " "

East On true line S. boundary of Sec. 32, T5N. R5E.

40.00 Let the q^r. Sec. post on true line, from which
a Sassafras 8 in. diam. bran N14°W 17 lks. dist. of
a Poplar 20 " " " N10°W 8 " "

80.00 Let a post Cor. to Secs. 32 & 33, T5N. R5E, from which
a Hickory 24 in. diam. bran N36°E 4 lks. dist. of
a Do 10 " " " N10°E 18 " "

East On true line S. boundary of Sec. 33, T5N. R5E.

40.00 Let the q^r. Sec. post on true line, from which
a Hickory 10 in. diam. bran N63°E 15 lks. dist. of
a Beech 8 " " " N55°W 16 " "

80.00 Let a post Cor. to Secs. 33 & 34, T5N. R5E, from which

T4N R5E 2^d Mer. Indiana

a Beech 24 in. dia. bran S44E 5 lks. dist. of
a Do 20 " " " N74W 33 " "

East On S. boundary of Sec. 34, T5N, R5E. true line

40.00 Set the gr. Sec. post on true line, from which
a Beech 24 in. dia. bran S54W 2 lks. dist. of
a Do 8 " " " N60E 41 " "

80.00 Set a post Cor. to Sec. 34 & 35, T5N, R5E, from which
a Hickory 8 in. dia. bran N59W 10 lks. dist. of
a Maple 8 " " " N59W 16 " "

East On true line S. boundary of Sec. 35, T5N, R5E.

40.00 Set the gr. Sec. post on true line, from which
a Beech 10 in. dia. bran S10E 16 lks. dist. of
a Do 12 " " " N40W 21 " "

80.00 Set a post Cor. to Sec. 35 & 36, T5N, R5E, from which
a Gum 20 in. dia. bran N50W 25 lks. dist. of
a Beech 20 " " " S75E 34 " "

East On true line S. boundary of Sec. 36, T5N, R5E.

40.00 Set the gr. Sec. post on true line, from which
an Elm 20 in. dia. bran S45E 12 lks. dist. of
a Hickory 10 " " " S62W 17 " "

80.00 to Township Corner Oct. 1806.

West Boundary

North On E. boundary of Sec. 36, T4N, R4E.

40.00 Set the gr. Sec. post, from which
a W. Walnut 5 in. dia. bran S31E 20 lks. dist. of
a Mulberry 12 " " " N45W 29 " "

57.65 a W. Ash 10 " "

80.00 Set a post cor. to Sec. 25 & 36, T4N, R4E, from which
a Beech 10 in. dia. bran N48E 3 lks. dist. of

T4N-R5E. 2nd Mer. Indiana

a Beech 5 in. dia. bran 170 W 8 lbs. dist. of
 Very hilly broken Soil, timb. Oak & Hickory

North On E. boundary of Sec. 25, T4N. R4E.

40.00 Let the q. Sec. post. from which
 a Beech 20 in. dia. bran 127 W 13 lbs. dist. of
 an Elm 24 " " " N49 E 24 " "

45.50 a Creek 200 lbs. wide Course N 80 W

64.00 Same 200 lbs. " " N. E.

73.00 a Beech 20 in. dia. in the line

80.00 Let a post Cor. to Sec. 24 & 25, T4N. R4E, from which
 a W. Oak 15 in. dia. bran 139 E 8 lbs. dist. of
 a Beech 15 " " " N 39 W 25 " "
 Good farming land, timber Oak, Beech &c.

North On E. boundary of Sec. 24, T4N. R4E.

12.50 a creek 200 lbs. wide Course West

40.00 Let the q. Sec. post. from which
 a Beech 20 in. dia. bran N1 W 11 lbs. dist. of
 a W. Ash 6 " " " S 33 W 21 " "

64.05 a Beech 24 " "

80.00 Let a post Cor. to Sec. 13 & 24, T4N. R4E, from which
 a Beech 10 in. dia. bran 122 E 22 lbs. dist. of
 a Do 6 " " " N 54 W 10 " "
 Good farming land, timber Beech, Oak & Hickory

North On E. boundary of Sec. 13, T4N. R4E.

4.40 a W. Oak 20 in. dia.

40.00 Let the q. Sec. post. from which
 a Beech 20 in. dia. bran N 56 W 7 lbs. dist. of
 a Do 6 " " " S 33 E 4 " "

80.00 Let a post Cor. to Sec. 12 & 13, T4N. R4E, from which
 a Beech 20 in. dia. bran S 40 E 24 lbs. dist. of

T4N - R5E, 2nd Mer. Indiana

a Beech 10 in. dia. bray N49W22 lbs. dist. of
Level Beech timbered land

North On E. boundary of Sec. 12, T4N. R5E.

6.15 a W. Oak 50 in. dia.

23.00 a Brook 10 lbs. wide Course West

35.00 a Do 18 lbs. " " S.W.

40.00 Set the q. Sec. post, from which
a Beech 10 in. dia. bray N70W17 lbs. dist. of
an Ash 7 " " S22W12 1/2 " "

80.00 Set a post cor. to Sec. 1 of 12, T4N. R4E. from which
a Beech 4 in. dia. bray S55E4 lbs. dist. of
a Do 13 " " N55W28 " "
Land timber &c. same as on the last mile

North On E. boundary of Sec. 1, T4N. R4E.

21.75 a Brook 10 lbs. wide Course S.W.

22.40 a B. Oak 20 in. dia.

31.50 a Brook 10 lbs. wide Course S.E.

37.00 a Do 10 lbs. " " S.W.

40.00 Set the q. Sec. post, from which
a Beech 10 in. dia. bray N57W15 lbs. dist. of
a Do 15 " " S17W12 1/2 " "

80.00 Set a post cor. to Township N. 4 of 5 North, of Range
N. 4 of 5 East, from which
a Beech 20 in. dia. bray S12E23 lbs. dist. of
a Do 20 " " N61W35 " "
Land timber &c. same as on the last mile
Surveyed in 1806 by Arthur Hennie, D.S.

Subdivision, Dec. 9th. 1806

North Between Sec. 35 of 36, T4N. R5E.

25.15 a Hickory 20 in. dia.

Com

T4N R5E. 2nd Mer. Indiana

40.00 Set the q. Sec. post, from which
 an Ash 24 in. dia. bears S 62 E 8 lks. dist. of
 a S. Oak 10 " " " S 40 W 8 " "
 59.16 a R. Oak 30 " "
 75.00 to River 200 lks. wide Course N.W.
 80.00 a Lycamore 20 in. dia. Cor. to Secs. 25, 26, 35 & 36
 Land low wet Soil, timber Oak, Ash, Maple &c.

East On Rand^m. between Secs. 25 & 36, T4N R5E.

18.00 a run 200 lks. wide Course S. W.

39.25 a do 200 " " " N. W.

40.00 Set temp^y. q. Sec. post

55.00 a river 150 lks. wide Course S. W.

78.80 Intersected the E. boundary 130 lks. N. of post
 Low level Land rich Beech &c.

West Corrected between Secs. 25 & 36, T4N R5E.

39.40 Set q. Sec. post at average dist. from which
 a Beech 16 in. dia. bears S 75 W 10 lks. dist. of
 a Lycamore 36 " " " S 20 W 46 " "

78.80 To Section Corner

North Between Secs. 25 & 26, T4N R5E.

17.50 a W. Oak 60 in. dia.

40.00 Set the q. Sec. post, from which
 an Ash 30 in. dia. bears S 70 E 9 lks. dist. of
 an Elm 16 " " " N 84 W 34 " "

58.24 a Maple 18 " "

80.00 Set a post Cor. To Secs. 23, 24, 25 & 26. from which
 a Maple 10 in. dia. bears N 56 W 7 lks. dist. of
 an Ash 10 " " " N 73 E 21 " "

Low wet Land in overflows 5. or 6 feet
 timber as before.

325

T4N R5E 2nd Mer. Indiana

East On Random between Sec. 24 & 25, T4N R5E.

40.00 Set temp^y. of Sec. post

79.18 Intersected the E. boundary 225 lks. S. of post
Low wet Maple & Chestnut Land overflows in
floods 5 or 6 feet

West Corrected between Sec. 24 & 25, T4N R5E.

39.59 Set of Sec. post, at average dist. from which
a maple 14 in. dia. bears S 87 E 14 lks. dist. &
a do 12 " " " S 87 W 25 " "

79.18 to Section Corner

North Between Sec. 23 & 24, T4N R5E.

16.16 an Ash 14 in. dia.

28.00 a run 40 lks. wide Course W. Slashy

40.00 Set the of Sec. post, from which
a Maple 6 in. dia. bears S 62 E 16 lks. dist. &
an Elm 6 " " " S 31 W 5 " "

Land Swampy, timber (Maple, Elm, bushy and
briery &c. return South, not being passable

South from Corner of Sec. 13, 14, 23 & 24

12.00 a Beech 20 in. dia.

26.27 a Spring run 15 lks. wide Course West of Swamp.

East On Rand^m. between Sec. 13 & 24, T4N R5E.

40.00 Set temp^y. of Sec. post var. 4th E.

62.75 a run 15 lks. wide Course South

78.75 Intersected the E. boundary 100 lks. N. of post
Land good rich Soil, timber Beech, under
Beech &c.

West Corrected between Sec. 13 & 24, T4N R5E.

39.37 $\frac{1}{2}$ Set of Sec. post at average dist. from which

4th N - R5 E. 2nd Mer. Indiana

a Beech 40 in. dia. bray N 29 W 14 lbs. dist. of
 a Gum 14 " " " S 78 E 14 " "
 78.75 to Sec. Corner

North Between Sec. 13 & 14, 4th N. R5 E.

21.40 a Beech 24 in. dia.

40.00 Let the of. Sec. post from which

a Beech 14 in. dia. bray N 46 W 17 lbs. dist. of

a do 8 " " " S 21 E 10 " "

54.76 a Beech 20 " "

80.00 Let a post cor. to Sec. 11, 12, 13 & 14, from which

a Beech 30 in. dia. bray S 59 E 17 lbs. dist. of

a Gum 16 " " " N 53 W 25 " "

Land timber &c. same as on the last mile

East On Rand. betw. Sec. 12 & 13, 4th N. R5 E.

40.00 Let timber of. Sec. post var. 3.20' E.

78.80 Intersected the E. boundary 112 lbs. N. of post

Land good Soil timber Beech & Open Woods

West Connected betw. Sec. 12 & 13, 4th N. R5 E.

39.40 Let of. Sec. post at average dist. from which

a Beech 14 in. dia. bray S 77 E 20 lbs. dist. of

a do 5 " " " N 25 W 6 " "

78.80 to Sec. Corner

North Between Sec. 11 & 12, 4th N. R5 E.

27.69 a Beech 14 in. dia.

40.00 Let the of. Sec. post, from which

a Beech 18 in. dia. bray S 72 E 5 lbs. dist. of

a do 7 " " " S 52 E 25 " "

57.05 a Beech 24 " "

67.00 to a slashy bottom

T4 N - R5 E. 2nd Mer. Indiana

327

73.50 a run 30 lks. wide Course S.W.
 80.00 Let a post Cor. to Sec. 1, 2, 11 & 12, from which
 a Beech 14 in. dia. bran N 81 E 25 lks. dist. of
 a Do 15 " " " N 66 W 17 " "
 in Slashy bottom. Land with good Soil
 timber Beech, Poplar &c.

East On Rand^m. betwⁿ Sec. 1, 12, T4 N. R5 E.
 11.90 a run 40 lks. wide Course S.W.
 40.00 Let temp^y. q^r. Sec. post
 44.50 a run 8 lks. wide Course N.
 78.39 Intersected the E. boundary 126 lks. N of post
 Land level, timber Beech, Poplar, Ash, &c good
 Soil, under^g ^m. Spice, greenbriar, grape vines &c.

West Corrected betwⁿ Sec. 1, 12, T4 N. R5 E
 39.19 1/2 let q^r. Sec. post at average dist. from which
 a Beech 9 in. dia. bran N 11 W 11 lks. dist. of
 a Do 20 " " " N 10 E 22 " "
 78.39 to Sec. Corner

North / Between Sec. 1, 12, T4 N. R5 E.
 3.00 a run 30 lks. wide Course S.W.
 13.50 a Spring run 6 lks. " " East
 17.20 an Ash 16 in. dia.
 20.00 a run 6 lks. wide S.E.
 40.00 Let the q^r. Sec. post, from which
 a Poplar 80 in. dia. bran N 31 E 30 lks. dist. of
 a Beech 18 " " " N 68 W 16 " "
 56.31 a Run 20 " "
 76.00 Intersected the N. boundary 40 lks. E. of post
 Let a post Cor. to Sec. 1, 12, from which
 a Beech 20 in. dia. bran S 27 W 17 lks. dist. of

T4N R5E. 2^d. Mer. Indiana

a Beech 14 in dia. bran N 2 E 50 lbs. dist.
Land level wet soil, timber Beech, ash, Elm &c.

North Between Secs. 34 & 35, T4N. R5E.

- 2.40 a Creek 50 lbs. wide Course W.
7.10 a Do — " " E.
9.50 a Do — " " W.
15.00 a Do — " " E.
24.19 an Ash 24 in dia.
26.50 a Creek 50 lbs. wide Course W.
35.00 a Do — " " E.
40.00 Let the g. Sec. post, from which
a Red Oak 20 in dia. bran N 25 W 8 lbs. dist. &
a Do — " " " N 34 E 4 " "
62.24 a Beech 18 " "
80.00 Let a post Cor. to Secs. 26, 27, 34 & 35, from which
a W. Oak 30 in dia. bran N 27 W 14 lbs. dist. &
a Do 40 " " " N 3 E 64 " "
Low wet land overflow, timber Oak & Beech

East On Rand^m betwⁿ Secs. 26 & 35, T4N. R5E.

- 28.50 a run 50 lbs. wide Course N.
40.00 Let trip. g. Sec. post
64.00 a run Course N.E.
77.50 a River 200 lbs. wide Course S.W.
80.20 Intersected the N & S. line 10 lbs. N. of post
Level wet, overflow Cor 8 feet, Oak, Beech,
Poplar, Sassafras bushy

West Corrected between Secs. 26 & 35, T4N. R5E.

- 40.10 Let g. Sec. post at average dist. from which
a Beech 20 in dia. bran N 67 E 20 lbs. dist. &
an Elm 30 " " " N 17 W 49 " "

329

T4N R5E. 2^d Mer. Indiana

80.20 to Section Corner

North Between Secs. 26 & 27, T4N R5E.

14.93 a Beech 16 m. dist.

18.50 a run 40 lks. wide Course W.

40.00 Let the q. Sec. post, from which
a Beech 20 m. dist. bear S56E 24 lks. dist. of
an Elm 6 " " " N55W 20 " "

55.74 to River 250 lks. wide Course W. Flow Current
apparently navigable

73.05 a Poplar 18 m. dist.

80.00 Let a post Cor. to Secs. 22, 23, 26 & 27, from which
a Hickory 10 m. dist. bear S85E 13 lks. dist. of
a Beech 18 " " " N55W 20 " "
Land low wet Soil, timber Beech, Hickory, Maple
Ash, Elm &c.

East On Rand^m. between Secs. 23 & 26, T4N R5E.

40.00 Let temp. q. Sec. post

69.70 a run 20 lks. wide Course S.W.

80.30 Intersected the N & S line 10 lks. S. of post
Land swampy overflow 5 or 6 feet, timber Maple

West Corrected between Secs. 23 & 26, T4N R5E.

40.15 Let q. Sec. post at average dist. from which
a Gum 40 m. dist. bear S85E 8 lks. dist. of
a Beech 16 " " " S72W 35 " "

80.30 to Sec. Corner Sunday Dec. 14th. 1806

North Between Secs. 22 & 23, T4N R5E.

29.75 an Ash 20 m. dist.

40.00 Let the q. Sec. post, from which
a W. Oak 8 m. dist. bear S34E 7 lks. dist. of

T4N R5E 2nd Mer. Indiana

a Beech 10 in. dia. bran N 26° W 25 lth. dist.
 52.65 a Beech 24 " "
 80.00 Let a post Cor. to Sec. 14, 15, 22 & 23, from which
 a W. Oak 14 in. dia. bran S 88° W 21 lth. dist. of
 a W. Oak 36 " " " S 60° E 27 " "
 Land 1st 1/2 Ash & Maple Swamp overflowed
 2nd 1/2 good Beech land

East Between Sec. 14 & 23, T4N. R5E.
 40.00 Let the q. Sec. post, from which
 a Beech 9 in. dia. bran S 50° W 10 lth. dist. of
 a Do 18 " " " N 52° E 21 " "
 80.00 Let a post Cor. to Sec. 13, 14, 23 & 24 from which
 a Beech 14 in. dia. bran N 51° W 15 lth. dist. of
 a Do 9 " " " S 58° E 32 " "
 Good land, rolling timber Beech &c.

North Between Sec. 14 & 15, T4N. R5E.
 30.50 a run 6 lth. wide Course N. E.
 40.00 Let the q. Sec. post, from which
 a Beech 10 in. dia. bran S 40° E 14 lth. dist. of
 a W. Oak 60 " " " North 63 " "
 54.33 a Beech 24 " "
 80.00 Let a post Cor. to Sec. 10, 11, 14 & 15, from which
 a Beech 14 in. dia. bran S 16° E 23 lth. dist. of
 a Do 30 " " " N 61° W 26 " "
 Land w/ timber Beech &c. undg. Spruce beech &c.

West On Rand between Sec. 11 & 14, T4N. R5E.
 38.50 a run 10 lth. wide Course South
 40.00 Let temp. q. Sec. post
 61.12 a run 10 lth. wide Course W.
 79.12 Intersected the N & S. line 50 lth. S. of post

T4N-R5E. 2^d. Mer. Indiana

Land level, timber Beech, Poplar &c. very brushy
Beech, Spruce &c.

East Corrected between Sec. 11 & 14, T4N-R5E.
39.56 let of Sec. post at average dist. from which
a Hickory 14 in. dia. bears N60E 16 lks. dist. of
a Beech 24 " " " N60W 60 " "
79.12 to Sec. Corner

North Between Sec. 10 & 11, T4N-R5E.
20.79 an Ash 20 in. dia.
28.00 a Swamp 16.00 lks. wide
38.60 a run 6 lks. wide Course N.E.
40.00 let the of Sec. post, from which
an Ash 26 in. dia. bears N3E 15 lks. dist. of
a W. Oak 6 " " " S28W 27 " "
44.75 a Creek 40 lks. wide Course S.W.
61.26 a Poplar 40 in. dia.
80.00 let a post cor. to Sec. 2, 3, 10 & 11, from which
a Beech 12 in. dia. bears S37W 15 lks. dist. of
a Do 6 " " " N43E 25 " "
Land good Soil, wet, timber Beech, Ash, Oak &c.

East On Rand. betw. Sec. 2 & 11, T4N-R5E.
40.00 let temp. of Sec. post
59.80 a run 40 lks. wide Course S.W.
60.95 a Do — " " N.W.
63.75 a Do 40 lks. " " S.W.
79.00 intersected the N & S. line at the post
Land level, Beech, Poplar, Oak, Maple &c.
Brushy &c.

West Corrected betw. Sec. 2 & 11, T4N-R5E.

T4N R5E 2nd Mer. Indiana

39.50 Let the q. Sec. post at average dist. from which
 a Beech 8 in. dia. bears S68°W 46 lks. dist. of
 a Maple 15 " " " N84°E 66 " "
 79.00 to Sec. Corner.

North Between Sect. 2 of 3, T4N R5E.
 20.66 a Beech 40 in. dia.
 40.00 Let the q. Sec. post, from which
 a Beech 12 in. dia. bears S9°W 36 lks. dist. of
 a Do 40 " " " N6°E 27 " "
 55.21 a Beech 20 " "
 71.50 a trace well blazed but old Cr. S56°W
 79.50 Intersected the N. boundary 46 lks. W. of post
 Let a post Cor. to Sect. 2 of 3, from which
 a W. Oak 28 in. dia. bears N16°E 45 lks. dist. of
 a Do 26 " " " S75°W 57 " "
 Land rich, undulating, Timber Beech, Poplar
 Oak, Ash, Angarfe.

North Between Sect. 33 of 34, T4N R5E.
 9.41 a Blazed line run E & W. bearing true, had been taken
 12.60 a track — the. wid. Course N. W.
 16.08 a W. Oak 36 in. dia.
 40.00 Let the q. Sec. post, from which
 a Gum 11 in. dia. bears S32°W 27 lks. dist. of
 a Beech 6 " " " N41°E 11 " "
 59.11 a W. Oak 36 " "
 80.00 Let a post Cor. to Sect. 27, 28, 33 of 34 from which
 an Ash 10 in. dia. bears S26°W 7 lks. dist. of
 an Do 14 " " " N30°E 42 " "
 Low Land Clay Soil timber Ash Maple Elm
 Oak Beech overflows 4 or 5 feet very brushy.

T4N R5E 2^d Mer. Indiana

East On Random between Sec. 27 & 34, T4N R5E.
 40.00 Set temp. q. Sec. post
 81.00 Intersected the N. & S. line 14 lks. N. of post
 Land timber &c. Same as on the last mile 5 or 6 feet w. of

West Corrected between Sec. 27 & 34, T4N R5E.
 40.50 Set q. Sec. post at average dist. from which
 a Maple 16 in. dia. bears S 3 E 20, lks. dist. &
 an Elm 24 " " " N 1/2 E 48 " "
 81.00 to Section Corner Nov. 24th 1886

North Between Sec. 27 & 28, T4N R5E.
 17.20 a Maple in dia. in the line
 40.00 Set the q. Sec. post, from which
 a Maple 16 in. dia. bears S 78 E 27 lks. dist. &
 a W. Oak 4 " " " S 56 W 6 " "
 55.67 a live Oak 50 in. dia.
 77.00 a creek 200 lks. wide C. 1887, deep slow current
 80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
 a Beech 11 in dia. bears N 18 W 10 lks. dist. &
 a Do 16 " " " N 47 E 21 " "
 Land and Soil Same as on the last mile

East On Rand. between Sec. 22 & 27, T4N R5E.
 40.00 Set temp. q. Sec. post
 81.40 Intersected the N. & S. line 110 lks. N. of the post
 Land very bushy overflow, timber (Maple &c)

West Corrected between Sec. 22 & 27, T4N R5E.
 40.70 Set the q. Sec. post at average dist. from which
 a Maple 14 in. dia. bears S 45 E 12 lks. dist. &
 an Elm 20 " " " N 82 W 16 " "
 81.40 to Section line.

T4N R5E 2^d Mer. Indiana

North Between Sec. 21 & 22, T4N, R5E.

22.07 a Maple 30 in. dia.

40.00 a Maple 14 in. dia. (marked for q^r Sec. Corner in overflowed bottom).

61.12 a Beech 12 in. dia.

63.50 a Spring run 6 lks. wide Course S20W

80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
a Beech 30 in. dia. bears S65E. 26 lks. dist. of
a Do 16 " " " N75W 26 " "

Land most part same overflowed in freshets
3 or 4 feet, timber Ash, Maple &c.

Wednesday December 17th 1806

East On Rand^m. betwⁿ Sec. 15 & 22, T4N, R5E.

40.00 Set temp^y q^r Sec. post

80.74 Intersected the N & S. line 112 lks. N. of post
Land level wet Soil, timber Beech &c.

West Corrected between Sec. 15 & 22, T4N, R5E.

40.37 a Beech 12 in. dia. Marked for q^r Sec. Corner

80.74 to Sec. Corner.

North Between Sec. 15 & 16, T4N, R5E.

7.40 a Beech 16 in. dia.

33.50 a run 10 lks. wide Course S.W. (a running stream)

40.00 Set the q^r Sec. post from which an

Ash 18 in. dia. bears S54W 27 lks. dist. of

a Gum 18 " " " N88E 62 " " in Swamp

52.25 a run 45 lks. wide Course S80W

56.63 an Elm 24 in. dia. in the line

80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which

a W. Oak 16 in. dia. bears S20E. 20 lks. dist. of

a Do 14 " " " N20W 10 " "

T4N R5E 2^d Mer. Indiana

Land level good Soil overflow, Limbu Oak &c.

With 2 hands Friday 19th Decr. 1886.
 East On Rand^m. between Sec^s. 10 & 15, T4N. R5E.
 2.85 a run 50 lks. wide Course N.W.
 7.50 a Creek 150 lks. wide Cross it obliquely S.W.
 24.85 a do 40 " " Course S.W.
 40.00 Let temp^y. q^r. Sec. post
 49.00 a run 3 lks. wide Course N.
 80.61 Intersected the N & S. line 44 lks. N. of post
 Land most part meadow wet soil timber
 Beech &c. undng^{to} Beech, Pines &c.

West Connected between Sec^s. 10 & 15, T4N. R5E.
 40.30 1/2 let q^r. Sec. post at average dist^y from which
 a Poplar 84 in. dia^r. bran N 88 E 24 lks. dist^y of
 a Beech 10 " " " S 51 W 6 " "
 80.61 to Sec. Corner.

North Between Sec^s. 9 & 10, T4N. R5E.
 2.00 a run 35 lks. wide Course S.W.
 4.00 to W 4 lks. is a Spring
 20.77 a Beech 24 in. dia^r.
 40.00 Let the q^r. Sec. post from which
 a Beech 30 in. dia^r. bran N 57 E 32 lks. dist^y of
 a do 18 " " " S 36 W 15 " "
 58.55 a W. Oak 24 " "
 80.00 Let a post Con. to Sec^s. 3, 4, 9 & 10, from which
 a Beech 11 in. dia^r. bran S 61 E 24 lks. dist^y of
 a do 30 " " " S 83 W 44 " "
 Land level rich, Limbu Beech &c.

West On Rand^m. between Sec^s. 3 & 10, T4N. R5E.

T4N R5E. 2^d. Mer. Indiana

7.50 a run 6th. wide Course S W.
 40.00 Let temp. q. Sec. post
 80.60 Intersected the N & S. line 96th. S. of post
 Land 1st. rate rolling Open woods, timber large
 Poplar, ash, Sugar, Beech &c.

East Connected between Sec. 3 & 10, T4N R5E.
 40.30 Let q. Sec. post at average dist. from which
 a Beech 14 m. dist. bear N 16° W 41th. dist. of
 a Do 16 " " " N 15° E 7 " "
 80.60 to Sec. Corner. Saturday Dec. 20. 1806 with 2 hands

North Between Sec. 3 & 4, T4N R5E.
 20.50 a Poplar 40 m. dist.
 40.00 Let the q. Sec. post, from which
 a Beech 11 m. dist. bear S 56° W 41th. dist. of
 a Sugar 8 " " " N 40° W 21 " "
 46.00 to a Swamp which appears to be extensive N. E. & S. W. 12.00
 61.70 a Beech 20 m. dist.
 78.50 Intersected the N. Boundary 212th. W. of post
 Let a post Cor. to Sec. 3 & 4, from which
 a W. Oak 16 m. dist. bear S 71° E 8th. dist. of
 a Beech 26 " " " N 36° W 46 " "
 Land timber &c. same as on the last mile.

North Between Sec. 32 & 33, T4N R5E. Thursday 11th Nov.
 3.00 a run 4th. wide Course S W.
 17.32 a Beech 30 m. dist.
 40.00 Let the q. Sec. post, from which
 a W. Oak 18 m. dist. bear N 75° E 26th. dist. of
 a Beech 20 " " " N 83° W 6 " "
 50.48 a Beech 12 " "
 63.50 a run 20th. wide Course E.

T4N R5E 2nd Mer. Indiana

68.00 a run - 1/4 mi. wide Course N.
 73.00 a do - " " " E.
 74.50 a do - " " " N.
 80.00 Let a post Cor. to Sec. 28, 29, 32 & 33, from which
 a Beech 18 in. dia. bear S50 E 48 lbs. dist. of
 a do 12 " " " N66 W 26 " "
 Good Soil, timber Beech, Oak &c.

East On Rand. between Sec. 28 & 33, T4N, R5E.
 40.00 Let temp. q. Sec. post
 80.30 Intersected the N & S. line 30 lbs. N. of post
 Land level & wet, timber Beech, Persimmon &c.

West Corrected between Sec. 28 & 33, T4N, R5E.
 40.15 Let q. Sec. post at average dist. from which
 a Gum 12 in. dia. bear N37 W 16 lbs. dist. of
 a R. Oak 30 " " " S84 E 19 " "
 80.30 to Section Corner.

North Between Sec. 28 & 29, T4N, R5E.
 3.00 a run 20 lbs. wide Course E.
 6.50 a do - " " " N.
 11.50 a do - " " " E.
 19.71 an Ash 14 in. dia. in the line
 26.15 to River ^{keep} Obliquely down
 40.00 Let q. Sec. post on river bank N. side, from which
 a Hickory 8 in. dia. bear S41 E 11 lbs. dist. of
 a Beech 11 " " " N33 W 21 " "
 47.25 to river bank 250 lbs. wide Course N. deep, flow current
 65.85 a Hickory 16 in. dia.
 80.00 Let a post Cor. to Sec. 20, 21, 28 & 29, from which
 an Ash 10 in. dia. bear S85 W 250 lbs. dist. of
 a Maple 12 " " " N78 E 44 " "

T4N R5E 2nd Mer. Indiana

Land very brushy, briery &c. Timber, Ash,
Maple &c overflow. Saturday Dec. 13th 1806

Met On Rand^m between Sec. 21 & 28, T4N. R5E.
40.00 Let temp^y. q^r. Sec. post
79.63 Intersected the N & S. line at the post
Land very brushy, briery &c. timber (Maple
Gum, Ash &c. overflow

East Correcked between Sec. 21 & 28, T4N. R5E.
39.81 1/2 Let q^r. Sec. post at average dist. from which
at Beech 6 in. dia. bay N 12 W 7 lks. dist. of
a Do 4 " " " N 3 E 21 " "
79.63 to Sec. Corner. Monday Dec. 15th 1806.

North Between Sec. 20 & 21, T4N. R5E.
26.67 an Ash 24 in. dia. in the line
40.00 Let the q^r. Sec. post, from which
at Beech 8 in. dia. bay N 50 W 10 lks. dist. of
an Elm 20 " " " S 57 E 40 " "
43.50 a run 20 lks. wide Course East
59.67 at Beech 20 in. dia. in the line
80.00 Let a post Cor. to Sec. 16, 17, 20 & 21, from which
an Ash 11 in. dia. bay S 57 W 10 lks. dist. of
a Do 10 " " " N 50 E 11 " "
Land 1st 1/2 low wet overflow from 4 to 8 feet.
2^d 1/2 dry level Beech land

East On Rand^m betwⁿ Sec. 16 & 21, T4N. R5E.
40.00 Let temp^y. q^r. Sec. post
47.50 a run 50 lks. wide Course South
79.44 Intersected the N & S. line 8 lks. N. of post
Land good Soil part overflow, Beech &c. brushy

T44 N. R5 E. 2^d. Mer. Indiana

339

Tuesday December 16th 1806

West Connected the line betwⁿ Sec^s 1, 16 & 21, T44 N. R5 E.
39.72 Let the q^r. Sec. post at average dist. from which
a Beech 30 in. dia. bray S19 E 19 lks. dist. of
a Do 30 " " " N40 W 22 " "
79.44 to Sec. Corner.

North Between Sec^s 1, 16 & 17, T44 N. R5 E.

17.00 a Beech 20 in. dia. bray in the line

40.00 Let the q^r. Sec. post, from which
a Beech 11 in. dia. bray S36 E 3 lks. dist. of
a Do 12 " " " N71 W 31 " "

57.61 a Gum 20 " "

80.00 Let a post Cor. to Sec^s 8, 9, 16 & 17, from which
a Beech 18 in. dia. bray S29 W 21 lks. dist. of
a Do — " " " N27 E 31 " "

Land level good Soil wet, timber Beech, Gum
Oak &c. Brushy &c

East On Rand^m. betwⁿ Sec^s 9 & 16, T44 N. R5 E.

40.00 Let temp^y. q^r. Sec. post

46.75 a run 10 lks. wide Course S. W.

77.35 a Spring run 6 lks. wide Course South

78.40 a run 40 lks. wide Course S. W.

80.12 Intersected the N & S. line 65 lks. N. of post.

Land rolling 1st rate, timber Beech Poplar &c.

West Connected between Sec^s 9 & 16, T44 N. R5 E.

40.06 Let q^r. Sec. post at average dist. from which
a Beech 9 in. dia. bray N16 W 15 lks. dist. of
a Do 9 " " " S50 W 19 " "

80.12 to Section Corner

T4N. R5E. 2nd. Mer. Indiana

North Between Sec. 8 & 9, T4N. R5E

18.50 a Poplar 48 in. diam. in the line

40.00 Let the q. Sec. post, from which

a Beech 14 in. diam. bears S50E 26 lks. dist. of

a Gum — " " " S61W 7 " "

57.44 a Beech 18 " " in the line

79.00 a run 6 lks. wide Course N10W

80.00 Let a post Cor. to Sec. 4, 5, 8 & 9, from which

a Beech 10 in. diam. bears S48W 16 lks. dist. of

an Ash 12 " " " S63E 11 " "

Land rolling rich Soil, timber Beech, Poplar &c.

East On Rand. betw. Sec. 4 & 9, T4N. R5E.

40.00 Let the q. Sec. post

79.80 Intersected the N & S. line at the post

Land level & wet good Soil, timber Poplar,
Beech, Locust, Gum &c.

West Corrected between Sec. 4 & 9, T4N. R5E

39.90 Let q. Sec. post at average dist. from which

a Beech 16 in. diam. bears N59W 16 lks. dist. of

a Do — " " " S75E 44 " "

79.80 to Sec. Corner

North Between Sec. 4 & 5, T4N. R5E.

7.85 a run 25 lks. wide Course W. about 7.00

18.50 a Do 12 " " " N. to S. E. is a large swamp

19.50 a Do — " " " S. E. appear to run N. E.

20.42 a Beech 16 in. diam. in the line

35.40 a run 15 lks. wide Course E.

37.40 a Do — " " S. W.

38.40 a Do 12 lks. " " East

38.82 a Do — " " S. W.

T4N R5E, 2^d Mer. Indiana

40.00 Set the q^r. Sec. post in edge of run Ct. E, from which
 a Beech 26 in. diam. bears S 26° W 17 lks. dist. of
 a W. Oak 16 " " " N 29° W 56 " "
 51.50 a run 10 lks. wide Course S. W.
 53.84 a Beech 28 in. diam. in the line
 79.92 Intersected the N. Boundary 318 lks. W. of post
 Set a post Cor. to Sec. 4 & 5, from which
 a Poplar 40 in. diam. bears S 46° E 25 lks. dist. of
 a Dogwood 6 " " " S 29° W 26 " "
 Land level wet Soil, timber Beech, Poplar &c.

North Between Sec. 31 & 32, T4N R5E.

18.70 a P. Oak 20 in. diam. in the line
 34.85 a run 6 lks. wide Course East
 40.00 a P. Oak 14 in. diam. (Marked for q^r. Sec. Corner
 57.00 a W. Oak 12 " " in the line
 66.00 a run 6 lks. wide Course East
 80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 12 in. diam. bears S 31° E 31 lks. dist. of
 a Sugar 11 " " " N 83° W 26 " "
 Land rich, timber Beech, Oak & ridgway &c.

East On Rand. between Sec. 29 & 32, T4N R5E.

40.00 Set temporary q^r. Sec. post
 76.00 a run 8 lks. wide Course East
 80.49 Intersected the N & S. line at the post
 Land low level wet Soil timber Beech &c.

West On true line between Sec. 29 & 32, T4N R5E.

40.24 1/2 Set q^r. Sec. post at average dist. from which
 a Beech 10 in. diam. bears S 83° W 14 lks. dist. of
 a do 16 " " " N 80° E 27 " "
 80.49 to Sec. Cor.

T40 N. R5 E. T. Mer. Indiana

West Between Secs. 30 & 31
 16.50 a run 6 lks. wide Course E.
 24.29 at Beech 12 m. dist.
 32.00 a run 8 lks. wide Course E.
 40.00 let the q. Sec. post on knob, from which
 a Chest. Oak 18 m. dist. bear S 25 E 17 lks. dist. of
 a B. Oak 36 " " " S 5 E. 21 " "
 57.25 at Beech 10 " "
 60.00 a trace Course westerly
 76.89 intersected the N. boundary 154 lks. N. of post
 let a post Cor. to Secs. 30 & 31, from which
 a Beech 20 m. dist. bear N 78 E 49 lks. dist. of
 a do 20 " " " S 30 E 43 " "
 Land part high hills, good Soil, timber Oak &c.

North Between Secs. 29 & 30, T40 N. R5 E.
 7.00 a trace Course Westerly
 18.93 an Elm 16 m. dist.
 40.00 let the q. Sec. post, from which
 a Hickory 14 m. dist. bear S 79 E 15 lks. dist. of
 a Fork Maple 20 " " " N 87 W 40 " "
 56.85 to river 300 lks. wide Cr. N.W. deep slow current
 Land overflow
 71.65 a W. Oak 60 m. dist.
 80.00 let a post in Swamp Cor. to Secs. 19, 20, 29 & 30, from which
 an Elm 20 m. dist. bear S 53 E 6 lks. dist. of
 a do 12 " " " N 70 W 20 " "
 Land overflow, from 5 to 6 feet, timber Elm, Maple &c.

West Between Secs. 20 & 29, T40 N. R5 E
 21.75 to river 200 lks. wide Course N.E. deep slow current
 East Between Secs. 20 & 29
 9.50 to River 250 lks. wide Cr. South (not able to cross
 the River ice being in it)

T4N R5E, 2^d. Mer. Indiana

West Between Secs. 19 & 20, T4N, R5E.

22.75 a Hickory 24 in. dia.

40.00 Set the q. Sec. post, from which
an Elm 36 in. dia. bears N 8 E 15 lks. dist. of
a Hickory 24 " " " S 36 W 46 " "

69.25 to River 250 lks. wide Course N.W. The river being
part froze over, and not able to cross offered
to the N. boundary as follows. North from 125 lks.
East of the River, thence

North 13.50; thence West 6.50; Thence North
77.80 3.50; thence West 3.30 to range line; thence South
with the Range line 1.50 lks. to the River bank
Set a post from which

a P. Oak 36 in. dia. bears S 76 E 2 lks. dist. of
a Hickory 12 " " " S 87 W 3 " "
Low wet land, overflowy Timber Maple &c.

North Between Secs. 19 & 20, T4N, R5E.

5.67 a Gum 36 in. dia.

26.00 a river bottom overflow 5 or 6 feet

40.00 Set the q. Sec. post, from which
a Beech 10 in. dia. bears S 74 W 200 lks. dist. of
a Do 9 " " " S 71 E 26 " "

63.60 a Beech 20 " " in the line

70.75 a run 15 lks. wide Course W.

80.00 Set a post cor. to Secs. 17, 18, 19 & 20, from which
a Beech 12 in. dia. bears S 46 E 22 lks. dist. of
a Do 12 " " " S 57 W 15 " "

Most part rich rolling land, timber Beech, Ash
Sugar tree &c.

West On Land between Secs. 17 & 20, T4N, R5E.

40.00 Set temp. q. Sec. post

T4N R5E. Dr. Mer, Indiana

45.50 a run 15th, wide Course South
 66.25 a do — " " N.W.
 67.00 a do — " " South
 80.50 Intersected the N of S. line 110 th. N. of post
 Land level rich, timber Beech &c.

East Connected between Sec. 17 & 20, T4N, R5E.
 40.25 Set of. Sec. post at average dist. from which
 a Beech 9 in. dia. bear N 80 W 4th. dist. of
 a do 12 " " " East 18 " "
 80.50 to Sec. Corner.

West Between Sec. 18 & 19, T4N, R5E.
 12.44 a Beech 14 in. dia.
 40.00 Set the of. Sec. post, from which
 a Beech 11 in. dia. bear S 84 E 10 th. dist. of
 a do 6 " " " N. 70 W 16 " "
 61.00 a Beech 26 " "
 78.40 Intersected the N. boundary 87 th. S. of post
 Set a post Cor. to Sec. 18 & 19, from which
 a Beech 11 in. dia. is marked for Corner tree.
 Land rich & rolling, timber Beech, Walnut, Ash
 Sugar tree &c.

North Between Sec. 17 & 18, T4N, R5E.
 20.60 a Beech 10 in. dia.
 40.00 Set the of. Sec. post from which
 a Beech 18 in. dia. bear S 63 E 4 th. dist. of
 a do — " " " N 61 W 26 " "
 55.89 a Beech 20 " "
 80.00 Set a Beech 20 in. dia. is the Cor. to Sec. 17, 8,
 17 & 18. Land hilly, timber Beech, Poplar, Oak
 &c. Good Soil.

Lot R5 E. 2nd Mer. Indiana

Nest On Rand^m. between Sec. 8 & 17, T4N. R5 E.

40.00 Let timber, q. Sec. post

80.59 Intersected the W. boundary on N & S. line 108 lks.
N. of post. Land 1st post low wet brushy, 2nd
post more rolling, timber Beech, Oak &c.

East Corrected betw. Sec. 8 & 17, T4N. R5 E.

40.29 Let q. Sec. post at average dist. from which
a Beech 10 in. diam. bears N 42° W 10 lks. dist. of
a W. Oak 12 " " " S 74° E 9 " "

80.59 to Sec. Corner

Nest Between Sec. 7 & 18, T4N. R5 E.

14.22 a W. Oak 30 in. diam.

40.00 Let the q. Sec. post, from which
a W. Oak 18 in. diam. bears N 81° E 9 lks. dist. of
a Beech 5 " " " S 61° W 5 " "
Low wet land timber Oak, Beech &c.

49.79 a W. Oak 36 in. diam.

79.59 Intersected the West. Boundary 179 lks. S. of post
a Beech 12 in. diam. bears S 51° E 50 lks. dist. of
a Do 9 " " " S 31° E 67 " "
Land rich, timber Beech, Poplar Oak &c.

North Between Sec. 7 & 8, T4N. R5 E. 2nd Mer.

13.69 a Beech 14 in. diam.

40.00 Let the q. Sec. post, from which
a Beech 12 in. diam. bears S 10° W 32 lks. dist. of
a Do 16 " " " S 22° W 6 " "

55.50 a Beech 20 " "

58.50 a run 10 lks. wide Course W.

59.00 to a Swamp

69.50 a run 15 lks. wide Course S. W.

Twp. R5 E. 2^d. Mer. Indiana

71.00 leave the Swamp
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which
 a C. Oak 20 mi. dist. by $S 74^{\circ} W 8$ lks. dist. of
 a Beech 16 " " " $S 80^{\circ} E 45$ " "
 Land rich rolling timber Poplar, Beech &c.

East On Rand^m. between Sec. 5 & 8, T4 N. R5 E.

15.00 enter a Swamp
 19.00 a slashy run 15 lks. wide Course S. W.
 38.50 a run 30 lks. wide C. S. N. W. leave Swamp also
 40.00 Set temp. q. Sec. post
 55.16 a run 4 lks. wide Course S. W.
 80.26 a No 6 " " " North
 80.32 intersected the N. & S. line 10 lks. S. of post
 Land low & wet soil timber, Beech, Oak &c.

West Connected between Sec. 5 & 8, T4 N. R5 E.

40.16 Set the q. Sec. post at average dist. from which
 an Elm 10 mi. dist. by $S 2^{\circ} E 12$ lks. dist. of
 a W — 26 " " " $N 35^{\circ} E 39$ " "
 80.32 to Sec. Corner Dec. 21st 1806.

West Between Sec. 6 & 7, T4 N. R5 E.

20.23 a Poplar 30 mi. dist.
 40.00 Set the q. Sec. post, from which
 a Beech 10 mi. dist. by $S 58^{\circ} E 5$ lks. dist. of
 an Oak 16 " " " $N 85^{\circ} W 11$ " "
 63.66 a Beech 11 " "
 80.57 Intersected the W. boundary 294 lks. S. of post
 Set a post Cor. to Sec. 6 & 7, from which
 a Beech 11 mi. dist. by $S 66^{\circ} E 32$ lks. dist. of
 a No 11 " " " $N 58^{\circ} W 25$ " "
 Land level rich timber Beech, Poplar &c.

T4N R5E 2nd Mer. Indiana

North Between Sec. 5 & 6, T4N R5E 2nd Mer.

22.27 a W. Oak 40 in. diam. beam

40.00 let the q. Sec post, from which

a Beech 11 in. diam. beam 160 E 6 lks. dist. of

a No 30 " " " 170 N 25 " "

58.66 a Beech 24 " "

70.00 a run 10 lks. wide Course S. W.

81.46 Intersected the N. boundary 480 lks. W. of post.

let a post Cor. to Sec. 5 & 6, from which

a Beech 24 in. diam. beam 35 E 31 lks. dist. of

a No 6 " " " 155 W 45 " "

Land level, timber Beech, Oak, Gum, Ash, Hickory.
Met soil.

Surveyed by Jos. H. Larnill and
Jacob Fowler, Dep. Surveyors

Camp

(Historical)

18th Dec. (1806) rainy day we all lay by. 19th
Isaac Linn was very sick and obliged to go to
Camp, 2 1/4 miles from Camp. I continue survey
(but) ^{with} 2 hands. 20th R. Perry gave out on the
lines as he had a sore on his ankle. I worked
with 2 hands, Elkison and Piles. 21st we
make a bridge to cross the Muscokituck river
being very high. We survey 1 1/2 miles and
move 1/2 mile in Town 3. Jos. H. Larnill

I Certify that the foregoing transcript of field notes of Township N. 4 North, of Range N. 5 E. 2^d Mer. Indiana, has been compared with the original notes in this Office and found to be correct.

Surveyor General's Office
Cincinnati, Sept. 30th 1844

P. P. Haines
Sur. Genl.